



# 潍坊英轩实业有限公司

## Weifang Ensign Industry Co., Ltd.

### \*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*

Citric Acid, Monohydrate

### \*\*\*\* SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION \*\*\*\*

MSDS Name: Citric Acid, Monohydrate

Catalog Numbers:

Synonyms:

2-Hydroxy-1, 2, 3-propanetricarboxylic acid monohydrate

Company Identification: WEIFANG ENSIGN INDUSTRY CO., LTD.

THE WEST END, LIMIN ROAD, CHANGLE COUNTY,

WEIFANG CITY, SHANDONG PROVINCE, CHINA 262400

For information, call: 0086 536 6272886

For emergencies, call: 0086 536 6298198

### \*\*\*\* SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS \*\*\*\*

CAS #	Chemical Name	%	EINECS #	Haz Symbols	Risk Phrases
5949-29-1	Citric Acid, Monohydrate	>99.5	201-069-1		

Hazard Symbols: Xi

Risk Phrases: 36/37/38

### \*\*\*\* SECTION 3 - HAZARDS IDENTIFICATION \*\*\*\*

#### EMERGENCY OVERVIEW

Irritating to eyes, respiratory system and skin.

Potential Health Effects

Eye:

Contact with eyes may cause severe irritation, and possible eye burns.

Skin:

May cause skin irritation.

Ingestion:

May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation:

Dust is irritating to the respiratory tract.

Chronic:

Not available.



潍坊英轩实业有限公司

Weifang Ensign Industry Co., Ltd.

---

\*\*\*\* SECTION 4 - FIRST AID MEASURES \*\*\*\*

Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

Skin:

Get medical aid if irritation develops or persists. Flush skin with plenty of soap and water.

Ingestion:

If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid.

Inhalation:

Get medical aid immediately. Remove from exposure and move to fresh air immediately.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Notes to Physician:

\*\*\*\* SECTION 5 - FIRE FIGHTING MEASURES \*\*\*\*

General Information:

Dusts at sufficient concentrations can form explosive mixtures with air. Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products.

Extinguishing Media:

For small fires, use water spray, dry chemical, carbon dioxide or chemical foam.

\*\*\*\* SECTION 6 - ACCIDENTAL RELEASE MEASURES \*\*\*\*

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions.

\*\*\*\* SECTION 7 - HANDLING and STORAGE \*\*\*\*

Handling:

Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

Storage:

Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances.



# 潍坊英轩实业有限公司

## Weifang Ensign Industry Co., Ltd.

---

Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances.

### \*\*\*\* SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION \*\*\*\*

#### Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

#### Personal Protective Equipment

##### Eyes:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

##### Skin:

Wear impervious gloves.

##### Clothing:

Wear appropriate protective clothing to minimize contact with skin.

##### Respirators:

A NIOSH/MSHA approved air purifying dust or mist respirator or European Standard EN 149. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

### \*\*\*\* SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES \*\*\*\*

Physical State:	Crystals
Color:	white
Odor:	odorless
pH:	Not available.
Vapor Pressure:	< 0.1 mbar @ 20 deg C
Viscosity:	Not available.
Boiling Point:	Not available.
Freezing/Melting Point:	100 deg C
Autoignition Temperature:	1000 deg C (1,832.00 deg F)
Flash Point:	100 deg C (212.00 deg F)
Explosion Limits, lower:	Not available.
Explosion Limits, upper:	Not available.



# 潍坊英轩实业有限公司

## Weifang Ensign Industry Co., Ltd.

---

Decomposition Temperature:	Not available.
Solubility in water:	1630 G/L WATER (20°C)
Specific Gravity/Density:	1.5400g/cm <sup>3</sup>
Molecular Formula:	C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> .H <sub>2</sub> O
Molecular Weight:	210.14

#### \*\*\*\* SECTION 10 - STABILITY AND REACTIVITY \*\*\*\*

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials.

Incompatibilities with Other Materials:

Strong oxidizing agents, strong bases, metal nitrates.

Hazardous Decomposition Products:

Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

#### \*\*\*\* SECTION 11 - TOXICOLOGICAL INFORMATION \*\*\*\*

RTECS#:

CAS# 5949-29-1: GE7810000

LD50/LC50:

Not available.

Carcinogenicity:

Citric Acid, Monohydrate -

Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA. See actual entry in RTECS for complete information.

#### \*\*\*\* SECTION 12 - ECOLOGICAL INFORMATION \*\*\*\*

Ecotoxicity:

Acute aquatic effects: 96-hour LC50; Fathead minnow: GT 1000 mg/L. 96-hour LC50; Water flea: GT 1000 mg/L. 48-hour LC50; Golden orfe (minnow): 760 mg/L.

#### \*\*\*\* SECTION 13 - DISPOSAL CONSIDERATIONS \*\*\*\*

Products which are considered hazardous for supply are classified as Special Waste and the disposal of such chemicals is covered by r



# 潍坊英轩实业有限公司

## Weifang Ensign Industry Co., Ltd.

---

Products which are considered hazardous for supply are classified as Special Waste and the disposal of such chemicals is covered by regulations which may vary according to location. Contact a specialist disposal company or the local waste regulator for advice. Empty containers must be decontaminated before returning for recycling.

#### \*\*\*\* SECTION 14 - TRANSPORT INFORMATION \*\*\*\*

IATA

No information available.

IMO

No information available.

RID/ADR

No information available.

#### \*\*\*\* SECTION 15 - REGULATORY INFORMATION \*\*\*\*

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XI

Risk Phrases:

R 36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 5949-29-1: 0

United Kingdom Occupational Exposure Limits

United Kingdom Maximum Exposure Limits

Canada

None of the chemicals in this product are listed on the DSL/NDSL list.

CAS# 5949-29-1 is not listed on Canada's Ingredient Disclosure List.

Exposure Limits

US FEDERAL

TSCA

CAS# 5949-29-1 is not listed on the TSCA inventory.



ENSIGN 司

潍坊英轩实业有限公司

Weifang Ensign Industry Co., Ltd.

---

It is for research and development use only.

\*\*\*\* SECTION 16 - ADDITIONAL INFORMATION \*\*\*\*

MSDS Creation Date: 7/23/2008 Revision #0 Date: Original.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

WEIFANG ENSIGN INDUSTRY CO., LTD.  
潍坊英轩实业有限公司

.....