

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX[®] BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CUROX[®] BRK-A12

Unique Formula Identifier (UFI) : 1UR0-21AX-8006-S968

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Oxidizing agents

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidizing solids, Category 3	H272: May intensify fire; oxidizer.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep/ Store away from clothing/ combustible materials.
- P232 Protect from moisture.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

- P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P370 + P378 In case of fire: Use water spray to extinguish.

Disposal:

- P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
Ammonium persulphate (CAS-No. 7727-54-0)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Persulphate
Formulated product

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ammonium persulphate	7727-54-0 231-786-5 016-060-00-6 01-2119495973-19-0000	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 85 - < 90
Paraffin oils, sulfochlorinated, saponified	68188-18-1 269-144-1	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361d Aquatic Chronic 3; H412	>= 0,25 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Call a physician immediately.

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet
Foam
-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
Suppress (knock down) gases/vapours/mists with a water spray jet.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Remove all sources of ignition.
Follow safe handling advice and personal protective equipment recommendations.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.
Protect from moisture.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep in a dry place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Storage class (TRGS 510) : 5.1B, Oxidizing hazardous materials

Recommended storage temperature : < 30 °C

Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Ammonium persulphate	Workers	Inhalation	Long-term local effects	0,824 mg/m ³
	Workers	Skin contact	Long-term systemic effects	9,5 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	0,421 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	4,8 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

	Consumers	Ingestion	Long-term systemic effects	0,47 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	1,41 mg/kg bw/day
Paraffin oils, sulfochlorinated, saponified	Workers	Dermal	Acute systemic effects	136 mg/kg bw/day
	Workers	Dermal	Long-term systemic effects	17 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	118 mg/m ³
	Workers	Inhalation	Long-term local effects	10 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Ammonium persulphate	Fresh water	0,518 mg/l
	Intermittent use/release	0,763 mg/l
	Marine water	0,052 mg/l
	Sewage treatment plant	3,6 mg/l
	Fresh water sediment	2,03 mg/kg dry weight (d.w.)
	Marine sediment	0,203 mg/kg dry weight (d.w.)
	Soil	0,1 mg/kg dry weight (d.w.)
Paraffin oils, sulfochlorinated, saponified	Fresh water	0,02 mg/l
	Marine water	0,002 mg/l
	Intermittent use/release	0,0416 mg/l
	Sewage treatment plant	8,1 mg/l
	Fresh water sediment	0,017 mg/kg
	Marine sediment	0,017 mg/kg
	Soil	0,02 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0,5 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : granular

Colour : light yellow

Odour : not significant

Odour Threshold : No data available

Melting point/range : Decomposes before melting.

Boiling point/boiling range : Not applicable

Flammability : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

pH : 4
Concentration: ca. 10 g/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Viscosity
Viscosity, dynamic : Not applicable
Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density : 1,86 g/cm³

Bulk density : ca. 1.000 kg/m³

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the category 3.

Self-ignition : not auto-flammable

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Avoid moisture.

10.4 Conditions to avoid

Conditions to avoid : Avoid moisture.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Impurities

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 862,79 mg/kg
Method: Calculation method

Components:

Ammonium persulphate:

Acute oral toxicity : LD50 (Rat, male): 742 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.
Remarks: Based on test data

Acute inhalation toxicity : LC50 (Rat): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Expert judgement

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Expert judgement

Paraffin oils, sulfochlorinated, saponified:

Acute oral toxicity : LD50 (Rat, male and female): 1.271 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

toxicity

Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

Ammonium persulphate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Paraffin oils, sulfochlorinated, saponified:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

Ammonium persulphate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritating to eyes.

Paraffin oils, sulfochlorinated, saponified:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 7 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

Product:

Remarks : Causes sensitisation.

Components:

Ammonium persulphate:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)
Result : May cause sensitisation by inhalation.

Paraffin oils, sulfochlorinated, saponified:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

Ammonium persulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Species: Mouse
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

Paraffin oils, sulfochlorinated, saponified:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Method: OECD Test Guideline 474
Result: negative
Remarks: Significant toxicity observed in testing

Carcinogenicity

Not classified based on available information.

Components:

Ammonium persulphate:

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks
Method : OECD Test Guideline 451
Result : negative

Paraffin oils, sulfochlorinated, saponified:

Species : Rat, male and female
NOAEL : 1.000 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

Ammonium persulphate:

Effects on fertility : Species: Rat
Application Route: Ingestion
General Toxicity - Parent: NOAEL: \geq 250 mg/kg body weight
General Toxicity F1: NOAEL: \geq 250 mg/kg body weight
Method: OECD Test Guideline 421

Paraffin oils, sulfochlorinated, saponified:

Effects on foetal development : Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 140 mg/kg body weight
Embryo-foetal toxicity: NOAEL F1: 140 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Suspected of damaging the unborn child., Some evidence of adverse effects on development, based on animal experiments.
Suspected of damaging the unborn child.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

Components:

Ammonium persulphate:

Assessment : May cause respiratory irritation.

Paraffin oils, sulfochlorinated, saponified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:

Ammonium persulphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Paraffin oils, sulfochlorinated, saponified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Ammonium persulphate:

Species : Rat
NOAEL : 1.000 mg/kg
LOAEL : 3.000 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Method : OECD Test Guideline 408

Species : Rat
NOAEL : 41,1 mg/kg
Application Route : oral (feed)
Exposure time : 28 d
Method : OECD Test Guideline 407

Species : Rat
NOAEL : 0,0103 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 413

Species : Rat
: 0,005 mg/l
Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

Components:

Paraffin oils, sulfochlorinated, saponified:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ammonium persulphate:

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 120 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Phaeodactylum): 320 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

plants
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Phaeodactylum): 32 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l
Exposure time: 18 h

Paraffin oils, sulfochlorinated, saponified:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 4,16 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4,72 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Scenedesmus subspicatus): > 100 mg/l
Exposure time: 72 h
Test Type: static test

NOEC (Scenedesmus subspicatus): 32 mg/l
Exposure time: 72 h
Test Type: static test

Toxicity to microorganisms : EC50 (activated sludge): 810 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1 mg/l
Exposure time: 22 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

Ammonium persulphate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Paraffin oils, sulfochlorinated, saponified:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

Ammonium persulphate:

Partition coefficient: n-octanol/water : Remarks: Not applicable

Paraffin oils, sulfochlorinated, saponified:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -0,18 (25 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

- ADN : UN 1444
ADR : UN 1444
RID : UN 1444
IMDG : UN 1444
IATA : UN 1444

14.2 UN proper shipping name

- ADN : AMMONIUM PERSULPHATE
ADR : AMMONIUM PERSULPHATE
RID : AMMONIUM PERSULPHATE
IMDG : AMMONIUM PERSULPHATE
IATA : Ammonium persulphate

14.3 Transport hazard class(es)

- ADN : 5.1
ADR : 5.1
RID : 5.1
IMDG : 5.1
IATA : 5.1

14.4 Packing group

- ADN

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version 2.0 Revision Date: 13.12.2021 SDS Number: 600000000050 Date of last issue: 19.06.2020
Date of first issue: 28.04.2016

Packing group : III
Classification Code : O2
Hazard Identification Number : 50
Labels : 5.1

ADR

Packing group : III
Classification Code : O2
Hazard Identification Number : 50
Labels : 5.1
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : O2
Hazard Identification Number : 50
Labels : 5.1

IMDG

Packing group : III
Labels : 5.1
EmS Code : F-A, S-Q

IATA (Cargo)

Packing instruction (cargo aircraft) : 563
Packing instruction (LQ) : Y546
Packing group : III
Labels : Oxidizer

IATA (Passenger)

Packing instruction (passenger aircraft) : 559
Packing instruction (LQ) : Y546
Packing group : III
Labels : Oxidizer

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P8	OXIDIZING LIQUIDS AND SOLIDS	Quantity 1 50 t	Quantity 2 200 t
----	------------------------------	--------------------	---------------------

Water hazard class (Germany) : WGK 1 slightly hazardous to water

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer.

H302 : Harmful if swallowed.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H319 : Causes serious eye irritation.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 : May cause respiratory irritation.

H361d : Suspected of damaging the unborn child.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Ox. Sol. : Oxidizing solids

Repr. : Reproductive toxicity

Resp. Sens. : Respiratory sensitisation

Skin Irrit. : Skin irritation

Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Ox. Sol. 3	H272
Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
STOT SE 3	H335

Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CUROX® BRK-A12



Version	Revision Date:	SDS Number:	Date of last issue: 19.06.2020
2.0	13.12.2021	600000000050	Date of first issue: 28.04.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN