

# SAFETY DATA SHEET



## Edetic Acid

### SECTION 1: Identification of the substance /mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name	Edetic Acid
CAS No	60-00-4
REACH registration number	01-2119486399-18-****

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Used as complexing agents.
Uses advised against	No information available

#### 1.3. Details of the supplier of the safety data sheet

Only representative Address	REACH24H CONSULTING GROUP Paramount Court, Corrig Road, Sandyford, Dublin 18, Ireland
E-mail	Info@reach24h.com
Telephone:	+353 1 8899951
Supplier Address	Shijiazhuang Jackchem Co., Ltd. Douyu Industrial Park, Luancheng County, Shijiazhuang City, Hebei Province, P. R. China
E-mail	summer.rong@hebeichengxin.com
Phone	+86-311-84632634
Importer Address	
E-mail	
Phone	

#### 1.4. Emergency telephone number

No information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Acute toxicity - Inhalation (Dusts/Mists) Category 4 - (H332)  
Serious eye damage/eye irritation Category 2 - (H319)  
Specific target organ toxicity (repeated exposure) Category 2 - (H373)

#### 2.2. Label elements

Symbols/Pictograms



Signal word Warning

#### Hazard Statements

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

#### Precautionary Statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P271 - Use only outdoors or in a well-ventilated area

# SAFETY DATA SHEET



## Edetic Acid

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P501 - Dispose of contents/ container to an approved waste disposal plant

### EU Specific Hazard Statements

None.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.1 Substance

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Edetic acid	200-449-4	60-00-4	> 99.2 - < 99.6	Acute Tox. 4 (H332) Eye Irrit. 2 (H319) STOT Rep. Exp. 2 (H373)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

In all cases of doubt, or when symptoms persist, seek medical attention.

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

#### Skin Contact

Wash with soap and water. If skin irritation persists, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Ingestion

Rinse immediately with plenty of water and seek medical advice.

#### Self-protection of the first aider

First aider: Pay attention to self-protection. Use personal protection recommended in Section 8.

### 4.2. Most important symptoms and effects, both acute and delayed

Harmful by inhalation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media      Dry extinguishing media. Foam.  
Unsuitable extinguishing media      Carbon dioxide (CO<sub>2</sub>).

## Edetic Acid

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Carbon oxides (CO<sub>x</sub>)

Nitrogen oxides (NO<sub>x</sub>)

### 5.3. Advice for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Stay upwind. Ensure adequate ventilation, especially in confined areas. Move containers from fire area if you can do it without risk. Cool drums with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system. Evacuate personnel to safe areas.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

### 6.4. Reference to other sections

See Section 7 for more information

See section 8 for more information

See section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation and in closed systems. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid generation of dust.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition.

### 7.3. Specific end use(s)

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

## Edetic Acid

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

##### Derived No Effect Level (DNEL)

###### Inhalation

Worker - inhalative, long-term - local	1.5 mg/m <sup>3</sup>
Worker - inhalative, short-term - local	3 mg/m <sup>3</sup>
Consumer - inhalative, long-term – local	0.6 mg/m <sup>3</sup>
Consumer - inhalative, short-term - local	1.2 mg/m <sup>3</sup>

###### Oral

Consumer - oral, long-term - systemic	25 mg/kg bw/day
---------------------------------------	-----------------

##### Predicted No Effect Concentration (PNEC)

Fresh Water	2.2 mg/L
Sea Water	0.22 mg/L
Soil	0.72 mg/kg soil dw
Impact on Sewage Treatment	43 mg/L

#### 8.2. Exposure controls

##### Engineering Controls

Showers. Eyewash stations. Ventilation systems. Ensure adequate ventilation, especially in confined areas.

##### Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand Protection	Wear protective gloves.
Skin and body protection	Suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	None under normal processing

##### Environmental exposure controls

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Solid
Color	white
Odor	Odorless
Odor Threshold	Not applicable
pH	Not determined
Melting point/freezing point	>220°C
Boiling point / boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not flammable
Flammability Limit in Air	Not determined
Vapor Pressure	2E-012 hPa at 25°C
Vapor density	Not determined

# SAFETY DATA SHEET



## Edetic Acid

Density	1.46 g/cm <sup>3</sup> at 20 °C
Relative density	Not determined
Specific gravity	Not determined
Water solubility	In water: 400 mg/l at 20 °C
Partition coefficient (LogPow)	-3.86 at 25 °C
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic viscosity	Not determined
Explosive properties	Not an explosive
Oxidizing properties	No oxidising properties

### 9.2. Other information

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

Strong heating. Incompatible materials. dust formation.

### 10.5. Incompatible materials

Copper, Copper alloys, Nickel

### 10.6. Hazardous decomposition products

None under normal use conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Edetic acid (CAS #: 60-00-4)	4500mg/kg bw(rat)		30mg/m <sup>3</sup> air(rat)

#### Skin corrosion/irritation

Non-irritating to the skin.

#### Serious eye damage/eye irritation

Irritating to eyes.

#### Sensitization

No sensitization responses were observed.

#### Germ cell mutagenicity

No information available.

# SAFETY DATA SHEET



## Edetic Acid

### Carcinogenicity

No information available

### Reproductive toxicity

No information available.

### STOT - single exposure

No information available.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Aspiration hazard

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Edetic acid (CAS #: 60-00-4)	> 100 mg/L/72h (Pseudokirchnerella subcapitata)	>= 25.7 mg/L (Danio rerio)	140 mg/L/48h (Daphnia magna)

### 12.2. Persistence and degradability

Readily biodegradable.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

This substance is not classified as PBT.

This substance is not considered to be very persistent nor very bioaccumulating (vPvB)

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/  
unused products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## SECTION 14: Transport information

### 14.1. UN number

Not regulated

# SAFETY DATA SHEET



## Edetic Acid

### 14.2. UN proper shipping name

Not regulated

### 14.3. Transport hazard class(es)

Not regulated

### 14.4. Packing group

Not regulated

### 14.5. Environmental hazards

Not regulated

### 14.6. Special precautions for user

No information available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Does not apply

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

Component	EINECS/ELINCS	SVHC candidates	RESTRICTIONS - REACH TITLE VIII
Edetic acid 60-00-4	X	–	–

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work International Inventories

Component	TSCA	DSL/NDL	ENCS	IECSC	KECL	PICCS	AICS
Edetic acid 60-00-4	X	DSL	X	X	X	X	X

«-» Not Listed

«X» Listed

### 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

Issue Date 10-May-2016

Revision date 10-May-2016

Revision Note Not applicable

### Key or legend to abbreviations and acronyms used in the safety data sheet

TWA - TWA (time-weighted average)

STEL - STEL (Short Term Exposure Limit)

Ceiling - Maximum limit value

# SAFETY DATA SHEET



## Edetic Acid

---

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
IECSC - China Inventory of Existing Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
AICS - Australian Inventory of Chemical Substances

### **Key literature references and sources for data**

ECHA: <http://echa.europa.eu/>

IFA GESTIS: [http://gestis-en.itrust.de/nxt/gateway.dll?f=templates\\$fn=default.htm\\$vid=gestiseng:sdbeng](http://gestis-en.itrust.de/nxt/gateway.dll?f=templates$fn=default.htm$vid=gestiseng:sdbeng)

HSDB: <http://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

### **Full text of H-Statements referred to under section 3**

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure in contact with skin

### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.